

TRENCH



VOXFLOOR®




Trench 01
Monolithic

Trench is a practical & functional entrance barrier carpet tile.

It represents the combination of absorbent and scrapper yarn designed to protect the building from external dirt and moisture.


Trench offers a combination in 4 colours to meet requirements on every project.

Colors



Specifications

Style Name:	Trench
Construction:	Multi-level Loop
Fiber:	Voxflor Certified Nylon with HD Yarn
Gauge:	1/12"
Stitches:	11 per inch
Pile Weight:	21 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	PVC with fiberglass
Tile size:	50cm*50cm
Area of Use:	Commercial - Heavy Duty
Antimicrobial:	Ultra-Fresh Treatment (Available)
Flammability:	ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density:	ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity:	AATCC-134 ≤3.5kV, GB/T 18044-2008



Ultra-Fresh is a registered trademark of Thomson Research Associates, Inc.

your color story

VOXFLOR

www.voxflor.com

Shanghai Headquarter

T +86 021 62989325

Milano Creative Studio

T +39 3885863150

China Branch Office

Beijing/ Guangzhou/ Shenzhen/ Xiamen

T 400 021 0790

